THE JOURNAL OF EXPERIMENTAL MEDICINE

Edited by

Anthony Cerami Zanvil A. Cohn Maclyn McCarty

Assistant Editors

Allan R. Goldberg Carl Nathan Ellen Pure Ralph Steinman

Advisory Editors

K. Frank Austen
Baruj Benacerraf
Constantin A. Bona
George Cross
John R. David
Frank J. Dixon
Bernard N. Fields
Shu Man Fu
Emil C. Gotschlich
Hidesaburo Hanafusa
Thomas J. Kindt
Seymour J. Klebanoff
Norman R. Klinman
Frank Lilly
Philippa Marrack
Lloyd F. Mayer
Hans J. Müller-Eberhard
E. A. McCulloch
Ralph L. Nachman
Robert J. North
Victor Nussenzweig
Michael B. A. Oldstone
William E. Paul
Russell Ross
Pablo Rubinstein
David H. Sachs
Matthew D. Scharff
Hans Schreiber
Benjamin D. Schwartz
Kendall A. Smith
Jonathan Sprent
Timothy A. Springer
Ching C. Wang
D. J. Weatherall
Zena Werb
Alan F. Williams
Darcy B. Wilson
Henry J. Winn

VOLUME 162

1985

PUBLISHED MONTHLY BY

THE ROCKEFELLER UNIVERSITY PRESS

COPYRIGHT © 1985 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS

Volume 162 No. 1 July 1, 1985

1 ARGYRIOS N. THEOFILOPOULOS, ROBERT S. BALDERAS, YEHOSHUA GOZES, M. TERESA AGUADO, LEMING HANG, PHILIP R. MORROW, and FRANK J. DIXON. Association of *lpr* gene with graft-vs.-host disease–like syndrome

19 KRISTIAAN THIELEMANS, JONATHAN B. ROTHBARD, SHOSHANA LEVY, and RONALD LEVY. Syngeneic antiidiotypic immune responses to a B cell lymphoma. Comparison between heavy chain hypervariable region peptides and intact Ig as immunogens

35 DENNIS W. METZGER. The nature of antiidiotype molecules induced by antiallotype. Presence of both latent allotype and allotypic internal images

45 DAVID A. THORLEY-LAWSON and KAREN P. MANN. Early events in Epstein-Barr virus infection provide a model for B cell activation

60 COLIN J. SANDERSON, DAVID J. WARREN, and MALCOLM STRATH. Identification of a lymphokine that stimulates eosinophil differentiation in vitro. Its relationship to interleukin 3, and functional properties of eosinophils produced in cultures

75 TAROH KINOSHITA, M. EDWARD MEDOF, ROBERT SILBER, and VICTOR NUSSENZWEIG. Distribution of decay-accelerating factor in the peripheral blood of normal individuals and patients with paroxysmal nocturnal hemoglobinuria

93 KAREN ARTZT, HEE-SUP SHIN, DOROTHEA BENNETT, and ALTHEA DIMEO-TALENTO. Analysis of major histocompatibility complex haplotypes of *t*-chromosomes reveals that the majority of diversity is generated by recombination

105 JACK GORSKI, ROBERTO TOSI, MICHEL STRUBIN, CHANTAL RABOURDIN-COMBE, and BERNARD MACH. Serological and immunochemical analysis of the products of a single HLA DR-α and DR-β chain gene expressed in a mouse cell line after DNA-mediated cotransformation reveals that the chain carries a known supertypic specificity

117 WILFRED A. JEFFERIES, JON R. GREEN, and ALAN F. WILLIAMS. Authentic T helper CD4 (W3/25) antigen on rat peritoneal macrophages

128 F. A. VAN DER HOORN, T. LAHAYE, V. MÜLLER, M. A. OGLE, and H. D. ENGERS. Characterization of $gP85^{gag}$ as an antigen recognized by Moloney leukemia virus–specific cytolytic T cell clones that function in vivo

145 D. W. GOLDMAN, F.-H. CHANG, L. A. GIFFORD, E. J. GOETZL, and H. R. BOURNE. Pertussis toxin inhibition of chemotactic factor–induced calcium mobilization and function in human polymorphonuclear leukocytes

157 BARBARA HOSEIN and CELSO BIANCO. Monocyte receptors for fibronectin characterized by a monoclonal antibody that interferes with receptor activity

171 ARON E. LUKACHER, LYNDA A. MORRISON, VIVIAN L. BRACIALE, BERNARD MALISSEN, and THOMAS J. BRACIALE. Expression of specific cytolytic activity by H-2I region–restricted, influenza virus–specific T lymphocyte clones

188 JEROME KIM, ANDREA WOODS, EILEEN BECKER-DUNN, and KIM BOTTOMLY. Distinct functional phenotypes of cloned Ia-restricted helper T cells

202 D. T. UMETSU, D. Y. M. LEUNG, R. SIRAGANIAN, H. H. JABARA, and R. S. GEHA. Differential requirements of B cells from normal and allergic subjects for the induction of IgE synthesis by an alloreactive T cell clone

215 ERIC G. NEILSON, EILEEN MCCAFFERTY, RICHARD MANN, LAUREN MICHAUD, and MICHAEL CLAYMAN. Tubular antigen–derived cells induce a disease-protective, antigen-specific, and idiotype-specific suppressor T cell network restricted by I-J and Igh-V in mice with experimental interstitial nephritis

231 SUZANNE T. ILDSTAD, SHERRY M. WREN, JEFFREY A. BLUESTONE, SUSAN A. BARBIERI, and DAVID H. SACHS. Characterization of mixed allogeneic chimeras. Immunocompetence, in vitro reactivity, and genetic specificity of tolerance

245 THOMAS W. HUANG and JOSEPH C. LANGLOIS. Podoendin. A new cell surface protein of the podocyte and endothelium

268 JEFFREY A. BLUESTONE, MICHELE FOO, HAMISH ALLEN, DAVID SEGAL, and RICHARD A. FLAVELL. Allospecific cytolytic T lymphocytes recognize conformational determinants on hybrid mouse transplantation antigens

282 C. M. BAUM, J. P. MCKEARN, R. RIBLET, and J. M. DAVIE. Polymorphism of Fc receptor on murine B cells is Igh-linked

297 RONALD B. SCHWADRON, DONNA M. GANDOUR, and SAMUEL STROBER. Cloned natural suppressor cell lines derived from the spleens of neonatal mice

311 URSZULA KRZYCH, AUDREE V. FOWLER, and ELI E. SERCARZ. Repertoires of T cells directed against a large protein antigen, β-galactosidase. II. Only certain T helper or T suppressor cells are relevant in particular regulatory interactions

324 JENEFER M. BLACKWELL, R. ALAN, B. EZEKOWITZ, MORVEN B. ROBERTS, JAQUELINE Y. CHANNON, ROBERT B. SIM, and SIAMON GORDON. Macrophage complement and lectin-like receptors bind *Leishmania* in the absence of serum

332 NILABH SHASTRI, ALAN OKI, ALEXANDER MILLE, and ELI E. SERCARZ. Distinct recognition phenotypes exist for T cell clones specific for small peptide regions of proteins. Implications for the mechanisms underlying major histocompatibility complex–restricted antigen recognition and clonal deletion models of immune response gene defects

BRIEF DEFINITIVE REPORTS

346 REINHARD KOFLER, ROGER M. PERLMUTTER, DANIEL J. NOONAN, FRANK J. DIXON, and ARGYRIOS N. THEOFILOPOULOS. Ig heavy chain variable region gene complex of lupus mice exhibits normal restriction fragment length polymorphism

352 FRANK M. GRIFFIN, JR. and PEGGY J. MULLINAX. In vivo activation of macrophage C3 receptors for phagocytosis

358 ROBERT L. KIRKMAN, LESLIE V. BARRETT, GLEN N. GAULTON, VICKI E. KELLEY, ARMELLE YTHIER, and TERRY B. STROM. Administration of an anti–interleukin 2 receptor monoclonal antibody prolongs cardiac allograft survival in mice

363 W. C. GREENE, R. J. ROBB, P. B. SVETLIK, C. M. RUSK, J.M. DEPPER, and W. J. LEONARD. Stable expression of cDNA encoding the human interleukin 2 receptor in eukaryotic cells

369 JULIA L. GREENSTEIN, BERNARD MALISSEN, and STEVEN J. BURAKOFF. Role of L3T4 in antigen-driven activation of a class I–specific T cell hybridoma

375 PRAKASH S. NAGARKATTI, MITZI NAGARKATTI, and ALAN M. KAPLAN. Normal Lyt-1$^+$,2$^-$ T cells have the unique capacity to respond to syngeneic autoreactive T cells. Demonstration of a T cell network

381 HAJIME KAWAMURA, STEVEN A. ROSENBERG, and JAY A. BERZOFSKY. Immunization with antigen and interleukin 2 in vivo overcomes *Ir* gene low responsiveness

387 P. E. BARKER, HANS-DIETER ROYER, FRANK H. RUDDLE, and ELLIS L. REINHERZ. Regional location of T cell receptor gene *Tiα* on human chromosome 14

393 SHOHKEN TOMITA, JULIAN L. AMBRUS, JR., DAVID J. VOLKMAN, DAN L. LONGO, HIROAKI MITSUYA, MARVIN S. REITZ, JR., and ANTHONY S. FAUCI. Human T cell leukemia/lymphoma virus I infection and subsequent cloning of normal human B cells. Direct responsiveness of cloned cells to recombinant interleukin 2 by differentiation in the absence of enhanced proliferation

Volume 162 No. 2 August 1, 1985

401 SHIGEKI NAGAO and ATSUSHI TANAKA. Necrotic inflammatory reaction induced by muramyl dipeptide in guinea pigs sensitized by tubercle bacilli

413 YOSHIHIRO ASANO and RICHARD J. HODES. T cell regulation of B cell activation. Lyt-1$^+$,2$^-$ T cells modify the MHC-restricted function of heterogeneous and cloned T suppressor cells

427 TOSHIAKI MIZUOCHI, HANA GOLDING, AMY S. ROSENBERG, LAURIE H. GLIMCHER, THOMAS R. MALEK, and ALFRED SINGER. Both L3T4$^+$ and Lyt-2$^+$ helper T cells initiate cytotoxic T lymphocyte responses against allogeneic major histocompatibility antigens but not against trinitrophenyl-modified self

444 JOHN B. BUSE, RANIA RIFAI-HADDAD, SARAH LEES, HIROSHI TANIGUCHI, DAVID CHAPLIN, EDGAR M. MILFORD, J. G. SEIDMAN, GEORGE S. EISENBARTH, and RICHARD A. JACKSON. Major histocompatibility complex restriction fragment length polymorphisms define three diabetogenic haplotypes in BB and BBN rats

459 KEITH B. ELKON, ANDREW P. PARNASSA, and CORA LEE FOSTER. Lupus autoantibodies target ribosomal P proteins

472 KAZUO OSHIMI, YOKO OSHIMI, MASAHIRO SATAKE, and HIDEAKI MIZOGUCHI. Natural killer–mediated lysis of normal and malignant target cells, and its regulation by monocytes

487 POJEN P. CHEN, FERNANDO GÕNI, RICHARD A. HOUGHTEN, SHERMAN FONG, ROBERT GOLDFIEN, JOHN H. VAUGHAN, BLAS FRANGIONE, and DENNIS A. CARSON. Characterization of human rheumatoid factors with seven antiidiotypes induced by synthetic hypervariable region peptides

501 STEVEN K. DOWER, SHIRLEY R. KRONHEIM, CARL J. MARCH, PAUL J. CONLON, THOMAS P. HOPP, STEVEN GILLIS, and DAVID L. URDAL. Detection and characterization of high affinity plasma membrane receptors for human interleukin 1

516 MATTHEW R. DUNCAN and BRIAN BERMAN. γ Interferon is the lymphokine and β interferon and monokine responsible for inhibition of fibroblast collagen production and late but not early fibroblast proliferation

528 DOUGLAS A. FISHER, STEPHEN W. HUNT III, and LEROY HOOD. Structure of a gene encoding a murine thymus leukemia antigen, and organization of *Tla* genes in the BALB/c mouse

546 GORDON B. BAILEY, DIANE B. DAY, and JAMES W. GASQUE. Rapid polymerization of *Entamoeba histolytica* actin induced by interaction with target cells

559 PETER P. NAWROTH, DENISE MCCARTHY, WALTER KISIEL, DEAN HANDLEY, and DAVID M. STERN. Cellular processing of bovine factors X and X_a by cultured bovine aortic endothelial cells

573 URI GALILI, BRUCE A. MACHER, JOANNE BUEHLER, and STEPHEN B. SHOHET. Human natural anti-α-galactosyl IgG. II. The specific recognition of $\alpha(1 \rightarrow 3)$-linked galactose residues

583 JAMES B. DALE and EDWIN H. BEACHEY. Epitopes of streptococcal M proteins shared with cardiac myosin

592 JÖRG REIMANN, DIETER KABELITZ, KLAUS HEEG, and HERMANN WAGNER. Allorestricted cytotoxic T cells. Large numbers of allo-H-$2K^b$-restricted antihapten and antiviral cytotoxic T cell populations clonally develop in vitro from murine splenic precursor T cells

607 MARGOT M. O'TOOLE, GAYLE C. BOSMA, and MELVIN J. BOSMA. Expression of murine *Lm-1* locus. Lm-1 determinants on lymphocytes and macrophages, and effects of Lm-1 incompatibility on bone marrow grafts

625 PRAKASH D. SHAH, SUSAN M. GILBERTSON, and DONALD A. ROWLEY. Dendritic cells that have interacted with antigen are targets for natural killer cells

637 KUNIAKI TERATO, KAREN A. HASTY, MICHAEL A. CREMER, JOHN M. STUART, ALEXANDER S. TOWNES, and ANDREW H. KANG. Collagen-induced arthritis in mice. Localization of an arthritogenic determinant to a fragment of the type II collagen molecule

647 CAROL VICTOR-KOBRIN, F. A. BONILLA, BLANCHE BELLON, and CONSTANTIN A. BONA. Immunochemical and molecular characterization of regulatory idiotopes expressed by monoclonal antibodies exhibiting or lacking β2-6 fructosan binding activity

663 AKIO YAMADA, MARSHA R. ZIESE, JAMES F. YOUNG, YASUKO K. YAMADA, and FRANCIS A. ENNIS. Influenza virus hemagglutinin-specific cytotoxic T cell response induced by polypeptide produced in *Escherichia coli*

675 SHERMAINE A. TILLEY and BARBARA K. BIRSHTEIN. Unequal sister chromatid exchange. A mechanism affecting Ig gene arrangement and expression

695 CHARLES J. EPSTEIN, BARBARA G. HOFMEISTER, DELLA YEE, SANDRA A. SMITH, RAMILA PHILIP, DAVID R. COX, and LOIS B. EPSTEIN. Stem cell deficiencies and thymic abnormalities in fetal mouse trisomy 16

713 MARIANNA M. GOLDRICK, R. THOMAS BOYD, PAUL D. PONATH, SHUN-YING LOU, and PAUL D. GOTTLIEB. Molecular genetic analysis of the V_κ Ser group associated with two mouse light chain genetic markers. Complementary DNA cloning and Southern hybridization analysis

729 JOHN SWANSON, SVEN BERGSTRÖM, OSMAR BARRERA, KEN ROBBINS, and DAN CORWIN. $Pilus^-$ gonococcal variants. Evidence for multiple forms of piliation control

745 RUTH RABINOWITZ, JEFFREY A. BLUESTONE, and DAVID H. SACHS. Evidence for a regulatory idiotypic network in the in vivo response to H-2 antigens

BRIEF DEFINITIVE REPORTS

756 ROBERT D. GOLDFIEN, POJEN P. CHEN, SHERMAN FONG, and DENNIS A. CARSON. Synthetic peptides corresponding to third hypervariable region of human monoclonal IgM rheumatoid factor heavy chains define an immunodominant idiotype

762 SAMUEL D. WRIGHT and B. CHRISTOPH MEYER. Fibronectin receptor of human macrophages recognizes the sequence Arg-Gly-Asp-Ser

768 ROBERT F. SILICIANO, ROSEANN M. COLELLO, ACHSAH D. KEEGAN, RENEE Z. DINTZIS, HOWARD M. DINTZIS, and HYUN S. SHIN. Antigen valence determines the binding of nominal antigen to cytolytic T cell clones

774 G. V. BROWN, J. G. CULVENOR, P. E. CREWTHER, A. E. BIANCO, R. L. COPPEL, R. B. SAINT, H.-D. STAHL, D. J. KEMP, and R. F. ANDERS. Localization of the ring-infected erythrocyte surface antigen (RESA) of *Plasmodium falciparum* in merozoites and ring-infected erythrocytes

Volume 162 No. 3 September 1, 1985

781 MICHAEL J. CHORNEY, JWU-SHENG TUNG, YURI BUSHKIN, and FUNG-WIN SHEN. Structural characteristics of *Tla* products

790 PATRICIA CAMERON, GUADALUPE LIMJUCO, JOHN RODKEY, CARL BENNETT, and JOHN A. SCHMIDT. Amino acid sequence analysis of human interleukin 1 (IL-1). Evidence for biochemically distinct forms of IL-1

802 B. J. FOWLKES, LINETTE EDISON, BONNIE J. MATHIESON, and THOMAS M. CHUSED. Early T lymphocytes. Differentiation in vivo of adult intrathymic precursor cells

823 ALESSANDRO MORETTA, GIUSEPPE PANTALEO, MIGUEL LOPEZ-BOTET, and LORENZO MORETTA. Involvement of T44 molecules in an antigen-independent pathway of T cell activation. Analysis of the correlations to the T cell antigen-receptor complex

839 STEVEN JACOBSON, MARJORIE L. FLERLAGE, and HENRY F. MCFARLAND. Impaired measles virus–specific cytotoxic T cell responses in multiple sclerosis

851 CAROLYN A. BLANCKMEISTER, KAZUHIKO YAMAMOTO, MARK M. DAVIS, and GÜNTER J. HÄMMERLING. Antigen-specific, I-A-restricted suppressor hybridomas with spontaneous cytolytic activity

864 SHIGERU SASSA, GEORGE S. DRUMMOND, SELDON E. BERNSTEIN, and ATTALLAH KAPPAS. Long-term administration of massive doses of Sn-protoporphyrin in anemic mutant mice (sph^{ha}/sph^{ha})

877 K. A. JOINER, L. F. FRIES, M. A. SCHMETZ, and M. M. FRANK. IgG bearing covalently bound C3b has enhanced bactericidal activity for *Escherichia coli* 0111

890 THOMAS HÜNIG. The cell surface molecule recognized by the erythrocyte receptor of T lymphocytes. Identification and partial characterization using a monoclonal antibody

902 VERONICA COLOMER-GOULD, LIEGE GALVAO QUINTAO, JAN KEITHLY, and NADIA NOGUEIRA. A common major surface antigen on amastigotes and promastigotes of *Leishmania* species

917 GILLA KAPLAN, DAVID E. WEINSTEIN, RALPH M. STEINMAN, WILLIAM R. LEVIS, ULRIKE ELVERS, MANUAL E. PATARROYO, and ZANVIL A. COHN. An analysis of in vitro T cell responsiveness in lepromatous leprosy

930 G. RAMADORI, J. D. SIPE, C. A. DINARELLO, S. B. MIZEL, and H. R. COLTEN. Pretranslational modulation of acute phase hepatic protein synthesis by murine recombinant interleukin 1 (IL-1) and purified human IL-1

943 HANA GOLDING, TERRY I. MUNITZ, and ALFRED SINGER. Characterization of antigen-specific, Ia-restricted, $L3T4^+$ cytolytic T lymphocytes and assessment of thymic influence on their self specificity

962 JOEL D. TAUROG, S. S. KERWAR, RICHARD A. MCREYNOLDS, GREGORY P. SANDBERG, STEVEN L. LEARY, and MAREN L. MAHOWALD. Synergy between adjuvant arthritis and collagen-induced arthritis in rats

979 TOM MAIER, JAMES H. HOLDA, and HENRY N. CLAMAN. Synergism between T and non-T cells in the in vivo induction and in vitro expression of graft-vs.-host disease–induced natural suppressor cells

993 PAUL R. CROCKER and SIAMON GORDON. Isolation and characterization of resident stromal macrophages and hematopoietic cell clusters from mouse bone marrow

1015 PIER-GIUSEPPE PELICCI, DANIEL M. KNOWLES II, and RICCARDO DALLA FAVERA. Lymphoid tumors displaying rearrangements of both immunoglobulin and T cell receptor genes

1025 T. NAKANO, T. SONODA, C. HAYASHI, A. YAMATODANI, Y. KANAYAMA, T. YAMAMURA, H. ASAI, T. YONEZAWA, Y. KITAMURA, and S. J. GALLI. Fate of bone marrow–derived cultured mast cells after intracutaneous, intraperitoneal, and intravenous transfer into genetically mast cell–deficient W/W^v mice. Evidence that cultured mast cells can give rise to both connective tissue type and mucosal mast cells.

1044 CRAIG M. SORENSON, ROBERT J. HAYASHI, and CARL W. PIERCE. Identification of Igh-C-linked determinants on suppressor T cell hybrids and factors specific for L-glutamic $acid_{60}$-L-$alanine_{30}$-L-$tyrosine_{10}$ (GAT)

1060 SHIGEO MANABE, SHIGERU SASSA, and ATTALLAH KAPPAS. Hereditary tyrosinemia. Formation of succinylacetone–amino acid adducts

BRIEF DEFINITIVE REPORTS

1075 R. F. NAVARRO, S. T. JALKANEN, M. HSU, G. SØENDERSTRUP-HANSEN, J. GORONZY, C. WEYAND, C. G. FATHMAN, C. CLAYBERGER, A. M. KRENSKY, and E. C. BUTCHER. Human T cell clones express functional homing receptors required for normal lymphocyte trafficking

1081 ALPHA PELED and NECHAMA HARAN-GHERA. High incidence of B cell lymphomas derived from thymectomized AKR mice expressing TL.4 antigen

1087 MARIE L. HOOVER, JAMES MARKS, JOHN CHIPMAN, EDWARD PALMER, PETER STASTNY, and J. DONALD CAPRA. Restriction fragment length polymorphism of the gene encoding the α chain of the human T cell receptor

1093 RICHARD J. FORD, LINDA YOSHIMURA, JOHN MORGAN, JORGE QUESADA, RICHARD MONTAGNA, and ABBY MAIZEL. Growth factor–mediated tumor cell proliferation in hairy cell leukemia

1099 BERISH Y. RUBIN, SYLVIA L. ANDERSON, SUSAN A. SULLIVAN, BARBARA D. WILLIAMSON, ELIZABETH A. CARSWELL, and LLOYD J. OLD. High affinity binding of ^{125}I-labeled human tumor necrosis factor (LuKII) to specific cell surface receptors

1105 GERALD E. RANGES, SUBRAMANIAM SRIRAM, and SHELDON M. COOPER. Prevention of type II collagen–induced arthritis by in vivo treatment with anti-L3T4

1111 FRIEDHELM HERRMANN, STEPHEN A. CANNISTRA, HERB LEVINE, and JAMES D. GRIFFIN. Expression of interleukin 2 receptors and binding of interleukin 2 by gamma interferon–induced human leukemic and normal monocytic cells

Volume 162 No. 4 October 1, 1985

1117 ROBERTO S. ACCOLLA, LEO SCARPELLINO, GIUSEPPE CARRA, and JOHN GUARDIOLA. *Trans*-acting elements(s) operating across species barriers positively regulate expression of major histocompatibility complex class II genes

1134 YAO-TSENG CHEN, YUICHI OBATA, ELISABETH STOCKERT, and LLOYD J. OLD. Thymus-leukemia (TL) antigens of the mouse. Analysis of TL mRNA and TL cDNA from TL^+ and TL^- strains

1149 EDMUNDO LAMOYI and ROSE G. MAGE. Lack of K1b9 light chains in Basilea rabbits is probably due to a mutation in an acceptor site for mRNA splicing

1161 NAGAHIRO MINATO, TAKASHI AMAGAI, JUNJI YODOI, TIBOR DIAMANSTEIN, and SHOGO KANO. Regulation of the growth and functions of cloned murine large granular lymphocyte lines by resident macrophages

1182 JEFFREY G. MOORE, MICHAEL M. FRANK, HANS J. MÜLLER-EBERHARD, and NEAL S. YOUNG. Decay-accelerating factor is present on paroxysmal nocturnal hemoglobinuria erythroid progenitors and lost during erythropoiesis in vitro

1193 DONALD PIOUS, LYNN DIXON, FRED LEVINE, TOM COTNER, and RANDALL JOHNSON. HLA class II regulation and structure. Analysis with HLA-DR3 and HLA-DP point mutants

1208 J. SAKLATVALA, S. J. SARSFIELD, and YVONNE TOWNSEND. Pig interleukin 1. Purification of two immunologically different leukocyte proteins that cause cartilage resorption, lymphocyte activation, and fever

1223 D. M. STERN, I. BANK, P. P. NAWROTH, J. CASSIMERIS, W. KISIEL, J. W. FENTON II, C. DINARELLO, L. CHESS, and E. A. JAFFE. Self-regulation of procoagulant events on the endothelial cell surface

1236 STEVEN M. RUDICH, ROBERT WINCHESTER, and PATRICIA K. A. MONGINI. Human B cell activation. Evidence for diverse signals provided by various monoclonal anti-IgM antibodies

1256 MICHAEL DUSZENKO, MICHAEL A. J. FERGUSON, GRETEL S. LAMONT, MARY R. RIFKIN, and GEORGE A. M. CROSS. Cysteine eliminates the feeder cell requirement for cultivation of *Trypanosoma brucei* bloodstream forms in vitro

1264 PAUL M. ALLEN, DAVID J. MCKEAN, BARBAR N. BECK, JOHN SHEFFIELD, and LAURIE H. GLIMCHER. Direct evidence that a class II molecule and a simple globular protein generate multiple determinants

1275 LEO LEFRANCOIS, LYNN PUDDINGTON, CAROLYN E. MACHAMER, and MICHAEL J. BEVAN. Acquisition of cytotoxic T lymphocyte–specific carbohydrate differentiation antigens

1294 ILAN BANK and LEONARD CHESS. Perturbation of the T4 molecule transmits a negative signal to T cells

1304 W. LING CHAN, M. L. LUKIG, and F. Y. LIEW. Helper T cells induced by an immunopurified herpes simplex virus type I (HSV-I) 115 kilodalton glycoprotein (gB) protect mice against HSV-I infection

1319 JULIAN L. AMBRUS, JR., CYNTHIA H. JURGENSEN, ERIC J. BROWN, and ANTHONY S. FAUCI. Purification to homogeneity of a high molecular weight human B cell growth factor; demonstration of specific binding to activated B cells; and development of a monoclonal antibody to the factor

1336 CRYSTAL A. LESLIE, WAYNE A. GONNERMAN, M. DAVID ULLMAN, K. C. HAYES, CARL FRANZBLAU, and EDGAR S. CATHCART. Dietary fish oil modulates macrophage fatty acids and decreases arthritis susceptibility in mice

1350 MICHAEL HEIDELBERGER, KLAUS JANN, and BARBARA JANN. Crossreactions of *Escherichia coli* K and O polysaccharides in antipneumococcal and anti-*Salmonella* sera

1359 J. H. FREDERIK FALKENBERG, WILLIAM E. FIBBE, HENRIËTTE M. GOSELINK, JON J. VAN ROOD, and JAN JANSEN. Human hematopoietic progenitor cells in long-term cultures express HLA-DR antigens and lack HLA-DQ antigens

BRIEF DEFINITIVE REPORTS

1371 JANE NOWELL and VITO QUARANTA. Chloroquine affects biosynthesis of Ia molecules by inhibiting dissociation of invariant (γ) chains from α-β dimers in B cells

1377 KUNIO YAMAZAKI, GARY K. BEAUCHAMP, LEWIS THOMAS, and EDWARD A. BOYSE. The hematopoietic system is a source of odorants that distinguish major histocompatibility types

1381 STEVEN A. N. GOLDSTEIN and MATTHEW F. MESCHER. Carbohydrate moities of major histocompatibility complex class I alloantigens are not required for their recognition by T lymphocytes

1387 ORESTE ACUTO, REBECCA E. HUSSEY, and ELLIS L. REINHERZ. Multiple class I and class II major histocompatibility complex allospecificities are generated with T cell receptor variable (V) domains created by a single Ti β V gene family

1393 ALLESSANDRO MORETTA, GIUSEPPE PANTALEO, MIGUEL LOPEZ-BOTET, MARIA CRISTINA MINGARI, and LORENZO MORETTA. Anticlonotypic monoclonal antibodies induce proliferation of clonotype-positive T cells in peripheral blood human T lymphocytes. Evidence for a phenotypic (T4/T8) heterogeneity of the clonotype-positive proliferating cells

1399 TAKASHI SAITO and KLAUS RAJEWSKY. Helper T cells reacting to idiotype on IgG but not IgM

Volume 162 No. 5 November 1, 1985

1409 I. V. HUTCHINSON, W. H. BARBER, and P. J. MORRIS. Specific suppression of allograft rejection by trinitrophenyl (TNP)-induced suppressor cells in recipients treated with TNP-haptenated donor alloantigens

1421 GEORGE F. TIDMARSH, MORRIS O. DAILEY, CHERYL A. WHITLOCK, ERIC PILLEMER, and IRVING L. WEISSMAN. Transformed lymphocytes from Abelson-diseased mice express levels of a B lineage transformation–associated antigen elevated from that found on normal lymphocytes

1435 NOBUO NARA and E. A. MCCULLOCH. Membranes replace irradiated blast cells as growth requirement for leukemic blast progenitors in suspension culture

1444 KIYOKO S. AKAGAWA and TOHRU TOKUNAGA. Lack of binding of bacterial lipopolysaccharide to mouse lung macrophages and restoration of binding by γ interferon

1460 ARNO N. VERMEULEN, THIVI PONNUDURAI, PIETER J. A. BECKERS, JAN-PETER VERHAVE, MARI A. SMITS, and JOSEPH H. E. TH. MEUWISSEN. Sequential expression of antigens on sexual stages of *Plasmodium falciparum* accessible to transmission-blocking antibodies in the mosquito

1477 LINDA HILLSTROM SHAPIRO, ELIZABETH S. DUGAN, and JOHN E. NEIDERHUBER. Monoclonal antibody characterization of a unique immune response control locus between *H-2S* and *D*

1494 ELAINE A. DZIERZAK, PETER BRODEUR, TONY MARION, CHARLES A. JANEWAY, JR., and ALFRED BOTHWELL. Molecular characterization of antibodies bearing Id-460. II. Molecular basis for Id-460 expression

1512 GINO DEGLIANTONI, MARIANNE MURPHY, MICHIKO KOBAYASHI, MARY KAY FRANCIS, BICE PERUSSIA, and GIORGIO TRINCHIERI. Natural killer (NK) cell–derived hematopoietic colony–inhibiting activity and NK cytotoxic factor. Relationship with tumor necrosis factor and synergism with immune interferon

1531 SIMON M. HELFGOTT, ROSELYNN DYNESIUS-TRENTHAM, ERNEST BRAHN, and DAVID E. TRENTHAM. An arthritogenic lymphokine in the rat

1546 JON GREEN and RANDALL JOTTE. Interactions between T helper cells and dendritic cells during the rat mixed lymphocyte reaction

1561 JOANNE KURTZBERG, SANDRA H. BIGNER, and MICHAEL S. HERSHFIELD. Establishment of the DU.528 human lymphohemopoietic stem cell line

1579 SANDRA RUSCETTI, ROBERTA MATTHAI, and MICHAEL POTTER. Susceptibility of BALB/c mice carrying various DBA/2 genes to development of Friend murine leukemia virus–induced erythroleukemia

1588 Y. HENRY SUN, ROBERT S. GOODENOW, and LEROY HOOD. Molecular basis of the dm1 mutation in the major histocompatibility complex of the mouse: a D/L hybrid gene

1603 WOLFGANG J. RETTIG, NICHOLAS C. DRACOPOLI, PILAR GARIN CHESA, BARBARA A. SPENGLER, H. RICHARD BERESFORD, PETER DAVIES, JUNE L. BIEDLER, and LLOYD J. OLD. Role of human chromosome 11 in determining surface antigenic phenotype of normal and malignant cells. Somatic cell genetic analysis of eight antigens, including putative human Thy-1

1620 BARBARA G. FROSCHER and NORMAN R. KLINMAN. Strain-specific silencing of a predominant antidextran clonotype family

1634 MARGUERITE A. NEILL, WILLIAM R. HENDERSON, and SEMOUR J. KLEBANOFF. Oxidative degradation of leukotriene C_4 by human monocytes and monocyte-derived macrophages

1645 MAREK J. SKOSKIEWICZ, ROBERT B. COLVIN, EVELINE E. SCHNEEBERGER, and PAUL S. RUSSELL. Widespread and selective induction of major histocompatibility complex–determined antigens in vivo by γ interferon

1665 CRAIG A. MULLEN, JAMES L. URBAN, CARTER VAN WAES, DONALD A. ROWLEY, and HANS SCHREIBER. Multiple cancers. Tumor burden permits the outgrowth of other cancers

1683 BRUCE M. HALL, MARGARET E. JELBART, KAY E. GURLEY, and SUSAN E. DORSCH. Specific unresponsiveness in rats with prolonged cardiac allograft survival after treatment with cyclosporine. Mediation of specific suppression by T helper/inducer cells

1695 HANS-PETER TONY, NANCY E. PHILLIPS, and DAVID C. PARKER. Role of membrane immunoglobulin (Ig) crosslinking in membrane Ig–mediated, major histocompatibility–restricted T cell–B cell cooperation

BRIEF DEFINITIVE REPORTS

1709 C. CLAYBERGER, N. HOLMES, P. L. WANG, T. D. KOLLER, P. PARHAM, and A. M. KRENSKY. Determinants recognized by human cytotoxic T cells on a natural hybrid class I HLA molecule

1715 D. DENÉE THOMAS, JOEL B. BASEMAN, and JOHN F. ALDERETE. Fibronectin tetrapeptide is a target for syphilis spirochete cytadherence

1720 AKIO YAMADA, JAMES F. YOUNG, and FRANCIS A. ENNIS. Influenza virus subtype–specific cytotoxic T lymphocytes lyse target cells coated with a protein produced in *E. coli*

1726 ELLEN S. VITETTA, JUNICHI OHARA, CHRISTOPHER D. MYERS, JUDITH E. LAYTON, PETER H. KRAMMER, and WILLIAM E. PAUL. Serological, biochemical, and functional identity of B cell–stimulatory factor 1 and B cell differentiation factor for IgG1

1732 PAUL W. JOHNSON, CAROL BAUBOCK, and JOHN C. RODER. Transfection of a rat cell line with the v-Ki-ras oncogene is associated with enhanced susceptibility to natural killer cell lysis

1738 FRANCOIS ERARD, MARKUS NABHOLZ, ARNAUD DUPUY-D'ANGEAC, and H. ROBSON MACDONALD. Differential requirements for the induction of interleukin 2 responsiveness in L3T4$^+$ and Lyt-2$^+$ T cell subsets

Volume 162 No. 6 December 1, 1985

1745 HANS-GUSTAF LJUNGGREN and KLAS KÄRRE. Host resistance directed selectively against H-2-deficient lymphoma variants. Analysis of the mechanism

1760 DEAN A. STETLER, DUANE E. SIPES, and SAMSON T. JACOB. Anti–RNA polymerase I antibodies in sera of MRL *lpr/lpr* and MRL +/+ autoimmune mice. Correlation of antibody production with delayed onset of lupus-like disease in MRL +/+ mice

1771 RICHARD P. MACDERMOTT, REINHOLD E. SCHMIDT, JOHN P. CAULFIELD, ANN HEIN, GAIL T. BARTLEY, JEROME RITZ, STUART F. SCHLOSSMAN, K. FRANK AUSTEN, and RICHARD L. STEVENS. Proteoglycans in cell-mediated cytotoxicity. Identification, localization, and exocytosis of a chondroitin sulfate proteoglycan from human cloned natural killer cells during target cell lysis

1788 ERICH PLATZER, KARL WELTE, JANICE L. GABRILOVE, LI LU, PAUL HARRIS, ROLAND MERTELSMANN, and MALCOLM A. S. MOORE. Biological activities of a human pluripotent hemopoietic colony stimulating factor on normal and leukemic cells

1802 BRETT T. SPEAR, JACKI KORNBLUTH, JACK L. STROMINGER, and DARCY B. WILSON. Evidence for a shared HLA-A intralocus determinant defined by monoclonal antibody 131

1811 FRANCIS A. NARDELLA, DAVID C. TELLER, CHARLES V. BARBER, and MART MANNIK. IgG rheumatoid factors and staphylococcal protein A bind to a common molecular site on IgG

1825 MARTIN K. BIJSTERBOSCH and GERRY G. B. KLAUS. Crosslinking of surface immunoglobulin and Fc receptors on B lymphocytes inhibits stimulation of inositol phospholipid breakdown via the antigen receptors

1837 NABIL GUIRGUIS, RACHEL SCHNEERSON, AD BAX, WILLIAM EGAN, JOHN B. ROBBINS, JOSEPH SHILOACH, IDA ØRSKOV, FRITS ØRSTOV, and AZIZ EL KHOLY. *Escherichia coli* K51 and K93 capsular polysaccharides are crossreactive with the group A capsular polysaccharide of *Neisseria meningitidis*. Immunochemical, biological, and epidemiological studies

1852 RICHARD F. COICO, BIN XUE, DAVID WALLACE, GREGORY W. SISKIND, and G. JEANNETTE THORBECKE. Physiology of IgD. VI. Transfer of the immunoaugmenting effect of IgD with Tδ-containing helper cell populations

1862 ROBERT MARKS and MELVIN J. BOSMA. Truncated μ (μ') chains in murine IgM. Evidence that μ' chains lack variable regions

1878 WILLIAM C. WATSON and ALEXANDER S. TOWNES. Genetic susceptibility to murine collagen II autoimmune arthritis. Proposed relationship to the IgG2 autoantibody subclass response, complement C5, major histocompatibility complex (MHC), and non-MHC loci

1892 CAROLYN J. KELLY, WILLYS K. SILVERS, and ERIC G. NEILSON. Tolerance to parenchymal self. Regulatory role of major histocompatibility complex–restricted, OX8$^+$ suppressor T cells specific for autologous renal tubular antigen in experimental interstitial nephritis

1904 HASSAN SALARI, PIERRE BORGEAT, MARCION FOURNIER, JAQUES HEBERT, and GUY PELLETIER. Studies on the release of leukotrienes and histamine by human lung parenchymal and bronchial fragments upon immunologic and nonimmunologic stimulation. Effects of nordihydroguaiaretic acid, aspirin, and sodium cromoglycate

1916 ANDREA J. SANT, SUSAN E. CULLEN, KAREN S. GIACOLETTO, and BENJAMIN D. SCHWARTZ. Invariant chain is the core protein of the Ia-associated chondroitin sulfate proteoglycan

1935 YOSEPH A. MEKORI, GARY L. WEITZMAN, and STEPHEN J. GALLI. Reevaluation of reserpine-induced suppression of contact sensitivity. Evidence that reserpine interferes with T lymphocyte function independently of an effect on mast cells

1954 OPENDRA NARAYAN, DARLENE SHEFFER, JANICE E. CLEMENTS, and GIHAN TENNEKOON. Restricted replication of lentiviruses. Visna viruses induce a unique interferon during interaction between lymphocytes and infected macrophages

1970 PETER G. E. KENNEDY, OPENDRA NARAYAN, ZAHRA GHOTBI, JOHN HOPKINS, HOWARD E. GENDELMAN, and JANICE E. CLEMENTS. Persistent expression of Ia antigen and viral genome in Visna-Maedi virus–induced inflammatory cells. Possible role of lentivirus-induced interferon

1983 ELLEN WHITNACK and EDWIN H. BEACHEY. Inhibition of complement-mediated opsonization and phagocytosis of *Streptococcus pyogenes* by D fragments of fibrinogen and fibrin bound to cell surface M protein

1998 ROGER M. PERLMUTTER, BENNETT BERSON, JOHANNA A. GRIFFIN, and LEROY HOOD. Diversity in the germline antibody repertoire. Molecular evolution of the T15 V_H gene family

2017 PENNY J. HITCHCOCK, S. F. HAYES, L. W. MAYER, W. M. SHAFER, and S. L. TESSIER. Analyses of gonococcal H8 antigen. Surface location, inter- and intrastrain electrophoretic heterogeneity, and unusual two-dimensional electrophoretic characteristics

2035 JOEL PICUS, KRISTINE HOLLEY, WAYNE R. ALDRICH, JAMES D. GRIFFIN, and NORMAN L. LETVIN. A naturally occurring bone marrow–chimeric primate. II. Environment dictates restriction on cytolytic T lymphocyte–target cell interactions

2053 MICHAEL W. LONG and DAVID N. SHAPIRO. Immune regulation of in vitro murine megakaryocyte development. Role of T lymphocytes and Ia antigen expression

2068 J. SPRENT and MARY SCHAEFER. Properties of purified T cell subsets. I. In vitro responses to class I vs. class II H-2 alloantigens

2089 LEWIS L. LANIER, THOMAS J. KIPPS, and JOSEPH H. PHILLIPS. Functional properties of a unique subset of cytotoxic $CD3^+$ T lymphocytes that express Fc receptors for IgG (CD16/Leu-11 antigen)

2107 SCOTT S. ZAMVIL, PATRICIA A. NELSON, DENNIS J. MITCHELL, ROBERT L. KNOBLER, ROBERT B. FRITZ, and LAWRENCE STEINMAN. Encephalitogenic T cell clones specific for myelin basic protein. An unusual bias in antigen recognition

2125 ROLF M. ZINKERNAGEL, THOMAS LEIST, HANS HENGARTNER, and ALANA ALTHAGE. Susceptibility to lymphocytic choriomeningitis virus isolates correlates directly with early and high cytotoxic T cell activity, as well as with footpad swelling reaction, and all three are regulated by H-2D

2142 EILEEN REMOLD-O'DONNELL. A fast-acting elastase inhibitor in human monocytes

2156 ALESSANDRO RAMBALDI, PIER-GIUSEPPE PELICCI, PAOLA ALLAVENA, DANIEL M. KNOWLES II, SILVANO ROSSINI, RENATO BASSAN, TIZIANO BARBUI, RICCARDO DALLA-FAVERA, and ALBERTO MANTOVANI. T cell receptor β chain gene rearrangements in lymphoproliferative disorders of large granular lymphocytes/natural killer cells

BRIEF DEFINITIVE REPORTS

2163 J.-M. DAYER, B. BEUTLER, and A. CERAMI. Cachectin/tumor necrosis factor stimulates collagenase and prostaglandin E_2 production by human synovial cells and dermal fibroblasts

2169 MICHIYUKI MAEDA, AKIRA SHIMUZU, KOICHI IKUTA, HIROYUKI OKAMOTO, MARI KASHIHARA, TAKASHI UCHIYAMA, TASUKU HONJO, and JUNJI YODOI. Origin of human T-lymphotrophic virus I–positive T cell lines in adult T cell leukemia. Analysis of T cell receptor gene rearrangement

2175 CLAUS R. BARTRAM. *bcr* Rearrangement without juxtaposition of *c-abl* in chronic myelocytic leukemia

2181 CORRECTIONS

2183 CORRECTION

2185 AUTHOR INDEX TO VOLUME 162